

**GOVERNMENT OF ANDHRA PRADESH**  
**ABSTRACT**

Public Services – RWS&S – Allegations of furnishing two contrary misleading reports on the issue of procurement of HP spares and GI pipes to the RWS&S Sub-Divisions at Ongole and Kandukuru in Prakasam District against Sri S.S.R. Anjaneyulu, Chief Engineer, V&QC, RWS&S, Hyderabad (now Retd.) - Sanction under Rule 9 of Andhra Pradesh Revised Pension Rules, 1980 – Accorded - Orders – Issued.

-----

PANCHAYAT RAJ & RURAL DEVELOPMENT (VIG.IA) DEPARTMENT

**G.O.Ms.No. 426 .**

**Dated: 17.10.2013**

\*\*\*

**ORDER:**

Whereas, it has been brought to the notice of the Government that Sri S.S.R. Anjaneyulu, Chief Engineer, V&QC, RWS&S, Hyderabad (now Retd.), has submitted two contrary misleading reports to Government on the issue of procurement of HP spares and GI pipes to the RWS&S Sub-Divisions at Ongole and Kandukuru in Prakasam District.

2. Now, therefore, sanction is accorded under sub-clause (i) of clause (b) of sub-rule (2) of Rule-9 of the Andhra Pradesh Revised Pension Rules, 1980 to initiate departmental proceedings against the said Sri S.S.R. Anjaneyulu, Chief Engineer, V&QC, RWS&S, Hyderabad (now Retd.).

3. It is further directed that the said departmental proceedings shall be conducted in accordance with the procedure laid down in Rule 20 of Andhra Pradesh Civil Services (Classification, Control & Appeal) Rules, 1991.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

VIKAS RAJ  
SECRETARY TO GOVERNMENT (RWS&S)

To  
Sri S.S.R. Anjaneyulu, Chief Engineer, V&QC, RWS&S, Hyderabad  
(now Retd.) through the Engineer-in-Chief, RWS&S, Hyderabad.  
The Engineer-in-Chief, RWS&S, Hyderabad.  
(in duplicate with a request to serve and return the dated acknowledgement copy)  
Copy to:  
The PR&RD (Estt.I) Department.  
SF/SC

//FORWARDED: BY ORDER//

SECTION OFFICER